



# TUBERÍA DE ACERO PARA FABRICACIÓN DE MUEBLES - REDONDOS.

DIMENSIÓN NOMINAL NPS	DIMENSIÓN EXTERIOR		ESPESOR DE PARED			PESO TUBO 6 m (Kg)
	(mm)	(pulg.)	(mm)	(pulg.)	Calibre	
1/2"	12.70	0.500	0.70	0.028	23	1.260
			0.80	0.031	22	1.387
			0.90	0.035	20	1.553
			1.10	0.043	19	1.875
			1.20	0.047	18	2.031
			1.50	0.059	16	2.482
5/8"	15.88	0.625	0.70	0.028	23	1.594
			0.80	0.031	22	1.756
			0.90	0.035	20	1.969
			1.10	0.043	19	2.388
			1.20	0.047	18	2.590
			1.50	0.059	16	3.186
3/4"	19.05	0.750	0.70	0.028	23	1.928
			0.80	0.031	22	2.126
			0.90	0.035	20	2.387
			1.10	0.043	19	2.900
			1.20	0.047	18	3.152
			1.50	0.059	16	3.889
7/8"	22.23	0.875	0.70	0.028	23	2.262
			0.80	0.031	22	2.496
			0.90	0.035	20	2.805
			1.10	0.043	19	3.413
			1.20	0.047	18	3.713
			1.50	0.059	16	4.593
1"	25.40	1.000	1.90	0.075	14	5.724
			0.70	0.028	23	2.596
			0.80	0.031	22	2.866
			0.90	0.035	20	3.222
			1.10	0.043	19	3.926
			1.20	0.047	18	4.273
1 1/8"	28.58	1.125	1.50	0.059	16	5.297
			0.90	0.035	20	6.618
			1.10	0.043	19	6.407
			1.20	0.047	18	4.834
			1.50	0.059	16	6.000
			1.90	0.075	14	7.513
1 1/4"	31.75	1.250	0.80	0.031	22	3.601
			0.90	0.035	20	4.057
			1.10	0.043	19	4.951
			1.20	0.047	18	5.394
			1.50	0.059	16	6.704
			1.90	0.075	14	8.407
1 1/2"	38.10	1.500	0.80	0.031	22	4.344
			0.90	0.035	20	4.892
			1.10	0.043	19	5.977
			1.20	0.047	18	6.515
			1.50	0.059	16	8.111
			1.90	0.075	14	10.196
1.663"	42.24	1.663	0.90	0.035	20	5.436
			1.10	0.043	19	6.646
			1.20	0.047	18	7.246
			1.50	0.059	16	9.028
			1.90	0.075	14	11.362
			0.80	0.031	22	5.528
1.900"	48.26	1.900	0.90	0.035	20	6.227
			1.10	0.043	19	7.618
			1.20	0.047	18	8.308
			1.50	0.059	16	10.362
			1.90	0.075	14	13.058
			1.10	0.043	19	9.504
2.360"	59.94	2.360	1.20	0.047	18	10.371
			1.50	0.059	16	12.951
			1.90	0.075	14	16.349
			1.50	0.059	16	13.739
2.500"	63.50	2.500	1.90	0.075	14	17.351




**TUBOS REDONDOS**

## TUBERÍA DE ACERO PARA FABRICACIÓN DE MUEBLES - CUADRADOS, RECTANGULARES Y OVALADOS.



DIMENSIÓN NOMINAL	DIMENSIÓN EXTERIOR		ESPESOR DE PARED			PESO TUBO 6 m (Kg)
	(mm)	(pulg.)	(mm)	(pulg.)	Calibre	
1/2"	0.50	12.700	0.70	0.028	23	1.594
			0.80	0.031	22	1.757
			0.90	0.035	20	1.970
			1.10	0.043	19	2.388
3/4"	0.75	19.050	0.70	0.028	23	2.450
			0.80	0.031	22	2.703
			0.90	0.035	20	3.039
			1.10	0.043	19	3.700
1"	1.00	25.400	1.20	0.047	18	4.027
			0.70	0.028	23	3.264
			0.80	0.031	22	3.605
			0.90	0.035	20	4.057
1 1/2"	1.50	38.100	1.10	0.043	19	4.951
			1.20	0.047	18	5.394
			1.50	0.059	16	6.704
			0.80	0.031	22	5.527
			0.90	0.035	20	6.227
			1.10	0.043	19	7.618
			1.20	0.047	18	8.308
			1.50	0.059	16	10.362


**TUBOS CUADRADOS**




DIMENSIÓN EXTERIOR (mm)	ESPESOR DE PARED			PESO TUBO 6 m (Kg)
	(mm)	(pulg.)	Calibre	
12 X 25	0.80	0.031	22	2.496
	0.90	0.035	20	2.804
	1.10	0.043	19	3.413
	1.20	0.047	18	3.713
	1.50	0.059	16	4.593
18 X 32	0.80	0.031	22	3.605
	0.90	0.035	20	4.057
	1.10	0.043	19	4.951
	1.20	0.047	18	5.394
20 X 40	0.80	0.031	22	4.344
	0.90	0.035	20	4.892
	1.10	0.043	19	5.977
	1.20	0.047	18	6.515
25 X 50	1.50	0.059	16	8.111
	0.80	0.031	22	5.527
	0.90	0.035	20	6.227
	1.10	0.043	19	7.618
	1.20	0.047	18	8.308
30 X 44	1.50	0.059	16	10.362
	1.20	0.047	18	8.308
	1.50	0.059	16	10.362
38 X 76	1.00	0.039	19	10.459
	1.10	0.043	19	11.515
	1.20	0.047	18	12.568

**TUBOS RECTANGULARES**

## TUBERÍA DE ACERO PARA FABRICACIÓN DE MUEBLES - CUADRADOS, RECTANGULARES Y OVALADOS.

 <b>TUBOS OVALADOS</b>	DIMENSIÓN EXTERIOR (mm)	ESPESOR DE PARED			PESO TUBO 6 m (Kg)
		(mm)	(pulg.)	Calibre	
14 X 28	0.90	0.035	20	2.805	
	1.20	0.047	18	3.713	
	1.50	0.059	16	4.593	
25 X 48	0.90	0.035	20	4.892	
	1.10	0.043	19	5.977	
	1.20	0.047	18	6.515	
	1.50	0.059	16	8.111	
31 X 61	0.90	0.035	20	6.228	
	1.20	0.047	18	8.309	
	1.50	0.059	16	10.362	

 <b>TUBOS APLANADOS</b>	DIMENSIÓN EXTERIOR (mm)	ESPESOR DE PARED			PESO TUBO 6 m (Kg)
		(mm)	(pulg.)	Calibre	
10 X 29	0.90	0.035	20	2.805	
	1.20	0.047	18	3.713	
	1.50	0.059	16	4.593	
14 X 29	0.9	0.035	20	3.222	
	1.2	0.047	18	4.273	
	1.5	0.059	16	5.297	
14 X 29	1.1	0.043	19	3.925	
	1.50	0.059	16	5.296	